



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/675,455	09/30/2003	Seok-Yoon Yang	YOM-0062	5598
23413	7590	09/24/2007		
CANTOR COLBURN, LLP 55 GRIFFIN ROAD SOUTH BLOOMFIELD, CT 06002			EXAMINER WALKE, AMANDA C	
			ART UNIT 1752	PAPER NUMBER
			MAIL DATE 09/24/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/675,455	YANG ET AL.	
	Examiner	Art Unit	
	Amanda C. Walke	1752	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE ____ MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☐ Claim(s) ____ is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☐ Claim(s) ____ is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date ____ | 6) <input type="checkbox"/> Other: ____ |

DETAILED ACTION

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/6/2007 has been entered.

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakurai et al (6,348,298) in view of Ishibashi (2004/0048200) or Tsuchiya (4,749,727).

Sakurai et al disclose a radiation sensitive composition comprising (A) a colorant containing a quinacridone pigment, a mixture of an isoindolinone pigment and a yellow organic pigment or a mixture of copper phthalocyanine blue and a green pigment, (B) an alkali-soluble resin, (C) a polyfunctional monomer and (D) a photopolymerization initiator. The composition is useful for production of an additive or subtractive color filter which is used in a reflection-type color liquid crystal display device. According to the present invention, firstly, the above objects and advantages of the present invention can be attained by a radiation sensitive composition (may be referred to as "the first radiation sensitive composition of the present invention" hereinafter) comprising:

Art Unit: 1752

(A1) a colorant containing a quinacridone pigment wherein R.sup.1 to R.sup.8 are independently a hydrogen atom, a methyl group or a chlorine atom;

(B) an alkali-soluble resin;

(C) a polyfunctional monomer; and

(D) a photopolymerization initiator.

The pigments used in the present invention can be used in conjunction with a dispersant as desired.

The dispersant is, for example, a cationic, anionic, nonionic, amphoteric, silicone-based or fluorine-based surfactant.

Illustrative examples of the surfactant include polyoxyethylene alkyl ethers such as polyoxyethylene lauryl ether, polyoxyethylene stearyl ether and polyoxyethylene oleyl ether; polyoxyethylene alkylphenyl ethers such as polyoxyethylene octylphenyl ether and polyoxyethylene nonylphenyl ether; polyethylene glycol diesters such as polyethylene glycol dilaurate and polyethylene glycol distearate; sorbitan fatty acid esters; fatty acid modified polyesters; tertiary amine modified polyurethanes; polyethylene imines; and the like. The surfactant is also available under the trade name of KP (of Shin-Etsu Chemical Co.), Polyflow (of Kyoeisha Kagaku Kabushiki Kaisha), F-Top (Tokem Products Co.), Megafac (Dainippon Ink and Chemicals, Inc.), Florade (Sumitomo 3M Limited), Asahi Guard and Surflon (of Asahi Glass Co.) and the like.

The surfactant listed above can be used alone or in admixture of two or more.

The amount of the surfactant used is generally 50 parts or less by weight, preferably 0 to 30 parts by weight, based on 100 parts by weight of the total of all pigments.

As the alkali-soluble resin in the present invention, any resin can be used as long as it serves as a binder for the colorant (A) and is soluble in a developer, particularly preferably an alkali developer used in a development process in the production of a color filter. The alkali-

Art Unit: 1752

soluble resin is preferably a carboxyl group-containing polymer, particularly a copolymer (to be simply referred to as "carboxyl group-containing copolymer" hereinafter) of an ethylenically unsaturated monomer having at least one carboxyl group (to be simply referred to as "carboxyl group-containing unsaturated monomer" hereinafter) and other copolymerizable ethylenically unsaturated monomer (to be simply referred to as "copolymerizable unsaturated monomer" hereinafter). Illustrative examples of the carboxyl group-containing copolymer (I) include (meth)acrylic acid/methyl (meth)acrylate copolymer; (meth)acrylic acid/benzyl (meth)acrylate copolymer; (meth)acrylic acid/2-hydroxyethyl (meth)acrylate/benzyl (meth)acrylate copolymer; (meth)acrylic acid/methyl (meth)acrylate/polystyrene macromonomer copolymer, (meth)acrylic acid/methyl (meth)acrylate/polymethyl methacrylate macromonomer copolymer; (meth)acrylic acid/benzyl (meth)acrylate/polystyrene macromonomer copolymer; (meth)acrylic acid/benzyl (meth)acrylate/polymethyl methacrylate macromonomer copolymer; (meth)acrylic acid/2-hydroxyethyl (meth)acrylate/benzyl (meth)acrylate/polystyrene macromonomer copolymer; (meth)acrylic acid/2-hydroxyethyl (meth)acrylate/benzyl (meth)acrylate/polymethyl methacrylate macromonomer copolymer; methacrylic acid/styrene/benzyl methacrylate/N-phenyl maleimide copolymer; methacrylic acid/mono(2-acryloyloxyethyl) succinate/styrene/benzyl methacrylate/N-phenyl maleimide copolymer; methacrylic acid/mono(2-acryloyloxyethyl) succinate/styrene/allyl methacrylate/N-phenyl maleimide copolymer; and the like.

The proportion of the carboxyl group-containing unsaturated monomer in the carboxyl group-containing copolymer is generally 5 to 50 wt %, preferably 10 to 40 wt %. When the proportion is less than 5 wt %, the solubility of the obtained radiation sensitive composition in an

Art Unit: 1752

alkali developer is liable to lower. On the other hand, when the proportion is more than 50 wt %, the solubility becomes too high, whereby the formed pixels are liable to fall off from the substrate, or the surface of each of the pixels is liable to be roughened at the time of development with an alkali developer.

The polyfunctional monomer in the present invention is a monomer having two or more polymerizable unsaturated bonds. Illustrative examples of the polyfunctional monomer include diacrylates and dimethacrylates of alkylene glycol such as ethylene glycol and propylene glycol; diacrylates and dimethacrylates of polyalkylene glycol such as polyethylene glycol and polypropylene glycol; polyacrylates and polymethacrylates of polyhydric alcohols having a valence of 3 or more such as glycerine, trimethylolpropane, pentaerythritol and dipentaerythritol, and dicarboxylic acid modified products thereof; oligoacrylates and oligomethacrylates such as polyesters, *epoxy* resins, urethane resins, alkyd resins, silicone resins and spiran resins; *diacrylates and dimethacrylates* of both terminal hydroxylated polymers such as both terminal hydroxypoly-1,3-butadiene, both terminal hydroxypolyisoprene and both terminal hydroxypolycaprolactone; tris(2-acryloyloxyethyl)phosphate, tris(2-methacryloyloxyethyl)phosphate and the like. Out of these polyfunctional monomers, preferred are polyacrylates and polymethacrylates of polyhydric alcohols having a valence of 3 or more and dicarboxylic acid modified products thereof, such as trimethylolpropane triacrylate, trimethylolpropane trimethacrylate, pentaerythritol triacrylate, pentaerythritol trimethacrylate, pentaerythritol tetraacrylate, pentaerythritol tetramethacrylate, dipentaerythritol pentaacrylate, dipentaerythritol pentamethacrylate, dipentaerythritol hexaacrylate, dipentaerythritol hexamethacrylate, and compounds represented by the following formula (2), and particularly

Art Unit: 1752

preferred are trimethylolpropane triacrylate, pentaerythritol triacrylate and dipentaerythritol hexaacrylate because they have a high pixel strength and an excellent smooth pixel surface and hardly produce stains or film residues in an area other than a portion where pixels are formed.

The term "photopolymerization initiator" as used in the present invention refers to a compound which causes decomposition or the cleavage of a bond and forms an active species capable of initiating the polymerization of the above polyfunctional monomer (C), such as a radical, cation or anion, when exposed to radiation such as visible light, ultraviolet light, far ultraviolet light, electron beam or X-ray (to be referred to as "exposure" hereinafter). Illustrative examples of the photopolymerization initiator include *imidazole*-based compounds having at least one main skeleton represented by the following formulas (3), (4) or (5), *benzoin*-based compounds, *acetophenone*-based compounds, benzophenone-based compounds, .alpha.-diketone-based compounds, polynuclear quinone-based compounds, *xanthone*-based compounds, diazo-based compounds, triazine-based compounds and the like.

Preferred solvents include *ethylene glycol monomethyl ether acetate*, *propylene glycol monomethyl ether*, *propylene glycol monomethyl ether acetate*, *propylene glycol monoethyl ether acetate*, *diethylene glycol dimethyl ether*, *diethylene glycol methylethyl ether*, *cyclohexanone*, 2-heptanone, 3-heptanone, ethyl 2-hydroxypropionic acid, 3-methyl-3-methoxybutyl propionate, ethyl 3-methoxypropionic acid, methyl 3-ethoxypropionic acid, ethyl 3-ethoxypropionic acid, n-butyl acetate, i-butyl acetate, n-amyl formate, i-amyl acetate, n-butyl propionate, ethyl butyrate, i-propyl butyrate, n-butyl butyrate and ethylpyruvic acid are preferred in view of solubility, pigment dispersibility and application properties.

Art Unit: 1752

100 parts by weight of a mixture of C.I. Pigment Violet 19 and C.I. Pigment Orange 71 in a weight ratio of 75/25 as the colorant (A1), 60 parts by weight of a methacrylic acid/2-hydroxyethyl methacrylate/benzyl methacrylate copolymer (weight ratio=15/15/70, Mw=28,000) as the alkali-soluble resin (B), 40 parts by weight of dipentaerythritol hexaacrylate as the polyfunctional monomer (C), 10 parts by weight of 2,2'-bis(2,4-dichlorophenyl)-4,4',5,5'-tetraphenyl-1,2'-blimidazole and 10 parts by weight of 4,4'-bis(diethylamino)benzophenone as the photopolymerization initiator (D), and 1,000 parts by weight of ethyl 3-ethoxypropionic acid as a solvent were mixed together to prepare a liquid radiation sensitive composition (composition 1).

It would have been obvious to one of ordinary skill in the art to prepare the material of the example, choosing to replace either the of the methacrylate monomers with a glycidyl methacrylate as they are taught to be equivalent in column 8 of the reference, with reasonable expectation of achieving a color filter having optimized spectral transmittance.

Sakurai also teaches that additional additives include silanes such as 3-methacryloxypropyltrimethoxysilane, as well as other similar silanes may be added, but fails to disclose the specifically claimed compound.

Both Tsuchiya and Ishibashi teach resins having additives that include silane compounds including 3-methacryloxypropyltrimethoxysilane and 3-acryloxypropyltrimethoxysilane.

Given the teachings of the references, it would have been obvious to one of ordinary skill in the art to prepare the material of Sakurai choosing to employ another conventional silane, 3-acryloxypropyltrimethoxysilane taught to be conventional in the place of 3-methacryloxypropyltrimethoxysilane.


Art Unit: 1752

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Amanda C. Walke whose telephone number is 571-272-1337.

The examiner can normally be reached on M-R 5:30-4.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cynthia Kelly can be reached on 571-272-1526. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Amanda C Walke
Primary Examiner
Art Unit 1752

ACW
September 5, 2007